

Ing 1862 & involverel leaver i a sough sene, (each sporting and including a say flow ) linear obline ent slightly hair at the other wise senooth townsthe eggs partiblearing a fen gland exhaling the odor of Lemon. er Aleysia. de 13 syllon & style almosonde Miller papers a sked somies oup. livear Leaves als gladular, orheeldsong Seiter angur Lifolin Toro HOS. Misson the is almost exactly Sysodia to style is the only ofference, and parting the mosth dereptant They vistering belong Alose Together


0 1 2 3 4 5 6 7 8 9 10


Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN


MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS










MISSOURI BOTANICAL GARDEN MISSOURI BOTANICAL PAPERS GEORGE ENGELMANN PAPERS













MISSOURI BOTANICAL GARDEN MISSOURI BOTANICAL GARDENS GERGE ENGELMANN PAPERS









GERGE ENGELMANN PAPERS















MISSOURI BOTANICAL GARDENS GEORGE ENGELMANN PARERS















MISSOURI BOTANICAL GARDENT GEORGE ENSELMANN PAPERS










MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS










MISSOURI BOTANICAL GARDER GEORGE ENGELMANN PARES
















MISSOURI BOTANICAL GARDEN.
GEORGE ENGELMANN PAPERS




















2 cavinata, caminais retrorsin fallen Bilens Ampauttemordes arhenin striata maryinalia fatiora Colatis anistre 4. A. Sisci Spartit. - Incoler extr B. chysauttenverse, radios superntie. 03. commata, var gracilion, (petrolete Mett ?) wet stricte, marginelie latione anistee 4, fl. Disci 4 partit, granitions, evanes reute, \_ a lang plan B. comate volustion (vera ?) wet pravie, Anneira Bollow - a low brunching plant.
Anhenia laevia substrate travistae 3 (imaguali
antenore) extenore); (fevie extenore contate intenore plana) - pe. Isoi 4 partit firmione, longing Juens 15 Leates, ... Biden frondora, silvatisa on Cakoki. Creek
Ashinia plana tuberralone bianistata

supra retroni, refer sursum ditata plana non commente, extensiva obovats breves, intenión elongate oblonga, anjustion, longione Bikens fromdom? Texas 18th Acherica donso caments, florencosa, sursum pilosa summer-lista 2 anstata omnie aequalia (3) - mullo minora presedente

0 1 2 3 4 5 6 7 8 9 10

cm

Copyright reserved

GARDEN

Jobapy of MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN


Atteres 1. A. amplexicanlis the fol. cordet any leson. over for ablus, aspen c'ent. flor rockel. 2. A. alakus florat petiolat aruminat petiol alat seminuplicant pubes. flor thyrsoid. fol. radical ovat sout at oblus petid not alat. \_ flor round. 3. A. Evenatus follows to patrolat sul conduct - petal decurrent of known in superior - Mayro Carrore. Mark sil Minin, Of. 4. A hirsulus of fol lanocolat Subsernit, in pediol deverrint, hvorist, reque an emilis, inflorer. in thyroo Carriore, for all, \_ Trufo med - By 5. A. envoordes fol radival, abbeis ontat, in peter decrement: hirsut. coule folisque enulisies hirsafis subvanesvent, fol, caul, linear Canualist Ingroum formans, Mais. Bing med, Minisin fol lunocolat glabniuse. 6. A. lancolatins margin asper Inflor, foliose magne densum. Myrsum formante, mule glabinistres pedunculis publist. BOTANICAL

copyright reserved cm GARDEN

7. De seoundus, folovatolanceolat, sub-petiolatis, interest subservat aspen usvulis, vaule publisa vaiennis fol, os is elongatis viggatis peduna emiflen breviddimis. The Bill Fred This wit at 2 2 stall 8. A. fleonosus form I wit NEZ. fol margine hispid, vaille glab flores theyro. corymbiform, mijsbler, i mm violell, Mysporle 9. At sericeus fol Canceolat sessil infor et supm servicolornen bosis, raule munoj filiprin inform folis deslilet, - Millen forther forther Cotton 10. A. hevis fil over lanceolatis accumination MISSO Temiamplesional. subsernit glab, subglaucescent 11. A. speciosus room politicami lande colot. semiamplemicant pulles. caude kironel Contres coryons. mu meroson condum moradio, moties livering - Nioball. Tripmed frising faugle BOTANICAL copyright reserved cm GARDEN

orymbos muli glatersino glavo sulla MISSOURT FORTUNAL GARDEN GEORGE ENGLEMENT PAPERS BOTANICAL

copyright reserved cm GARDEN



Colidagines monis florificio king pulis 1. Solidrego glubra Berand - fel lancedat, berriter petiolat, aouminet aoute serrat triner, glas inflorese ademsialscula, fol calir linear lange Tand. May and. angust. 2. Lolidago vidgata sevend. \_ fol mat lancely sels il attenuet. Intat. h. A. mis floriz elongatis, solatis, fol valis. I hear oblis 3. J. virganrevides evert. — fol out lanciol beræiter petial. megular dentat. samis flom boreviteurs avillar. flor magnis, fol aalia squerros lancostat. \_ Their bothomory fol mater ovatolling 4. L'amessens refert. · petiol. Deverment, somment, canement asper, - floanlin sessil, ovat larrage obtersionsvala, asper vanese, dentat, speloven. og me densa, flor, magn, fol enlyer ovnt oblers. and for The the the interest 5. S. festigiet serund. - fol suisil Caricoly annent, ande særret, hit. aspen nervos (feliat), insflorer pyramidilis

BOTANICAL copyright reserved cm GARDEN

densa, fol valyr, lanvolat avet 6. S. Diffusa for Secund. The antevedents own Ria (sed minus servata) s. im li mods poto time publish, informasper. h. An. \_ prolonea. pansmelete differen, florik minner fol. mleger linear aout. Prigmen Mit 7. S. auren sennd. - pl pliset lancolat. in pelial. Decouvert. allement. obtusion serrat, supmæte infra aspinis inflorest. Myrsoids dension, fol valegeovet obbers, cokomt. Krisin Oht. So Cinearités etect. — fl linam Bactros glabon, mangine aspen - vannosig floolye ovat lancolat obling ? infloreda, cymos tasa. \_ forini, g. S. vagineta erest. - fol linear lanned nervos, gelyber margin asperis semi ogmusa densa, fil calye Morning flore and I finding That. BOTANICAL copyright reserved cm

GARDEN

10 S. thyrsiflora Vereit of fol Canredat bis: attended margin asper inflorest thyrsoid fl cally and obles. \_ Zwobin firing fly Of. GRI BOTANICAL GARDEN SECRET ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved

GARDEN

cm

